

600X1200MM

PORCELAIN VITRIFIED TILES

MATT SURFACE

www.ramirro.com

COMPANY


PROFILE

Ramirro Ceramica is one the leading Manufacturers of Porcelain Tiles and Slabs such as Man-made Marbles and Quartz Stones for walls and floor coverings in residential, commercial and industrial buildings. We work closely with our clients to address their requirements from concept to production, serving superior quality and timely delivery of the orders.


The long-term relationships we build with our clients provides the foundation for our continued success. The company has the structure and the capability to work with global businesses at international and domestic level.

Available Size

120 x 240 cm



80 x160 cm







Application Areas



Residential



Hotel, Restaurant & Cafe







Hospital

Airport







Hall & Corridor




Mall & Super Market



Spa and Wellness Centres



Available Finishes



80 x 80 cm



60 x 60 cm



30 x 60 cm



Technical Specification



Long Durability



Chemical Resistance



Easy to Clean

Easy Installation



Impact Resistance





Crazing T Resistance



Frost Resistance



Thermal Shock Resistance



Hygienic Surface



Fire Resistance



Low Water Absorption



Dimensional Stability



Armonia Beige

600x1200MM

ATTFINISH











8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4

Armonia



ARMONIA LIGHT CREMA

ARMONIA BROWN

ARMONIA CEMENTO

Atlantic White







8.5 MM

MARBLE

LOOK & FEEL



Ayers Rock

600×1200MM

MATTFINISH









8.5 MMTHICKNESS

MARBLE LOOK & FEEL




Auron Beige

600×1200MM

ATTFINISH













8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

5

Auron




AURON BIANCO AURON GREY AURON BROWN



Blage Bianco







8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4



Brineo White Stone

600×1200MM









8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

3

Brineo Stone

600×1200MM







8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

3



Concret Beige

600×1200MM

MATTFINISH













8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

5

Concret



CONCRET LIGHT CEMA

CONCRET BROWN

CONCRET CEMENTO

CONCRET NAV




Calacatta Pearl

600×1200MM

MATTFINISH











8.5 MMTHICKNESS

MARBLE

LOOK & FEEL



Calcatta Gold

600×1200MM

MATTFINISH











8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4

Calcatta Oro

600×1200MM

MATT FINISH

















8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8

Calcatta White













8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

6

RANDOM

28

Carrara Bianco









8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4



Carrara Polaris







8.5 MM

THICKNESS

MARBLE

LOOK & FEEL



Carrara White

600x1200MM

ATTFINISH









8.5 MMTHICKNESS

MARBLE

LOOK & FEEL

Crystal Statuario



MATTFINISH











8.5 MMTHICKNESS


MARBLE

LOOK & FEEL

4



Desert Beige



36

Elegance Statuario









8.5 MMTHICKNESS

MARBLE

LOOK & FEEL



Eathen Beige

600×1200MM













8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

6

Eathen







Fabula Bianco









8.5 MM **THICKNESS**

MARBLE

LOOK & FEEL



Glocal Brown

600×1200MM











8.5 MM

MARBLE

LOOK & FEEL

Glocal





Gold Saturio





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8

RANDOM

46



Horton Beige

600×1200MM











8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

5

Horton



HORTON LIGHT CREMA

HORTON BROWN

HORTON BIANCO

Imperial White





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8

RANDOM

50

Irish Grey

600×1200MM

ATTFINISH









8.5 MMTHICKNESS

MARBLE

LOOK & FEEL

Irish Silver

 \mathbb{Z} 0









8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

3



Jasper Beige

Σ Σ 0 S O





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

3

Jasper



JASPER BROWN

JASPER BIANCO

JASPER GREY

Jasto Bianco







8.5 MMTHICKNESS

MARBLE

LOOK & FEEL

Jasto Blue

600×1200MM







8.5 MMTHICKNESS

MARBLE

LOOK & FEEL



Lattila Brown

600×1200MM









8.5 MM

MARBLE

LOOK & FEEL

Lattila



LATTILA LIGHT CREMA

LATTILA BEIGE

LATTILA BIANCO


LATTILA GREY

Lilac White

600×1200MM

MATTFINISH

















8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8



Limestone Beige

 Σ 0 0 0 I S Ш \mathbb{Z} U α 0 Ω. \triangleleft 0









8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

5

RANDOM

67

Limestone



LIMESTONE LIGHT CREMA

LIMESTONE BROWN

LIMESTONE CEMENTO

Marfil Beige









8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4



Marmi Crema

600×1200MM

IATTFINISH

















8.5 MM

THICKNESS

MARBLE


LOOK & FEEL

8



Marmodust Brown

 \mathbb{Z} 0 S Ш U Ω. \triangleleft O



8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

6

RANDOM

co

Marmodust



MARMODUST CREMA

MARMODUST BEIGE

MARMODUST CEMENT



Natural Spider Grey





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8




Natural Spider Gold



Nordic Brown

600x1200MM





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8



Nordic Cemento

600×1200MM















8.5 MM

THICKNESS

MARBLE


LOOK & FEEL

8

Nordic Grey

600x1200MM





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8



Orion Beige

600x1200MM







8.5 MMTHICKNESS

MARBLE LOOK & FEEL

Orion



ORION BIANCO

ORION CHOCO

ORION CREMA

ORION GREY

ORION NERO




Panda White

600×1200MM

MATTFINISH







8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8



Perlino Bianco

600×1200MM

ATTFINISH











8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4

Perlino





Rosalia Crema

600×1200MM

MATTFINISH









8.5 MMTHICKNESS

MARBLE

LOOK & FEEL

Rosalia Bianco

S α





8.5 MMTHICKNESS

MARBLE

LOOK & FEEL



Rock Nero

600×1200MM









8.5 MMTHICKNESS

MARBLE LOOK & FEEL

Rock



ROCK CREMA ROCK BEIGE

ROCK BROWN



Sand Traventino

600x1200MM

MATTFINISH







8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

2



Sparkle Beige







8.5 MMTHICKNESS

MARBLE

LOOK & FEEL



Sparkle Soft

600x1200MM









8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4

Statuario







8.5 MMTHICKNESS


MARBLE

LOOK & FEEL

Statuario Classic

600×1200MM









8.5 MMTHICKNESS

MARBLE LOOK & FEEL



Steel Brown

600×1200MM

ATT FINISH













8.5 MM

MARBLE

LOOK & FEEL

5RANDOM

101

Steel




STEEL BIANCO STEEL DARK GREY

STEEL GREY



Stonella Crema

 Σ 0 0 S Ш U α 0 Ω. \triangleleft O





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

4

Stonella




STONELLA IVORY

STONELLA GREY



Super Statuario





8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

6

Supreme Statuario







8.5 MMTHICKNESS

MARBLE

LOOK & FEEL


Volkas

600×1200MM

MATTFINISH







8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

8



Zodiac Beige







8.5 MM

THICKNESS

MARBLE

LOOK & FEEL

3

TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
.	REGULATORY PR	OPERTIES	
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
	STRUCTURAL PR	OPERTIES	v
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
	MASSIVE MECHANICA	AL PROPERTIES	
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
mpact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
	SURFACE MECHANICA	AL PROPERTIES	
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
	THERMO HYGROMETR	IC PROPERTIES	
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
	CHEMICAL PRO	PERTIES	7
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
,	SAFETY PROP	ERTIES	
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

Quality Control:

Quality Control is one of the major and heavily invested part in making of product, Preventative action from our side is key to make sure that what you are exporting is safe and fit for purpose.

We ensure you that we comply with standards, reduce product failures and pass quality control standards set for our product.

We provide transparency in our methods and work to satisfy customers requirements. Continuously improve the effectiveness of both the quality management system and the provision of our all products and services.

Ramirro Ceramica manufactures porcelain tiles according to the latest version of ISO 9001;2015, Its Tiles Testing Laboratory is operating in accordance to QMS accredited by affiliation.

Setting and reviewing measurable quality objectives and targets, which address the risks and opportunities within the company, and ensuring those objectives are met.

Providing the necessary resources and ensuring responsibilities and authorities are determined and communicated throughout the company.

Monitoring the conformity of products to standard and contractual requirements.

Reviewing the effectiveness of the quality management system on a regular basis and assessing opportunities for its continual improvement. Seeking structured feedback from our customers.

Ensuring everything we do is always carried out in accordance with stated methods and customers' requirements.

Quality Accreditations:



















Corporate Office:

#312, R.K. Prime, Nana Mauva Circle, 150 feet ring road, Rajkot- 360005, Gujarat , India.

Factory Address:

Morbi-halvad road, Ghuntu, Gujarat 363642.

+91 9924601741 | info@ramirro.com | www.ramirro.com











